




Mind in Peace[®]
(A Division of Psychocare Health Pvt. Ltd.)

Address : SCO-34,35 First Floor, New Sunny Enclave Market, Sector 125, Greater Mohali, Punjab 140301.

Contact: 8727099068, **Email:** info@psychochare.biz

Facebook : <https://www.facebook.com/pchplmohali/>

Instagram: <https://www.instagram.com/pchplmohali/>

Website: www.psychochare.biz



Mind in Peace[®]
(A Division of Psychocare Health Pvt. Ltd.)

AMO MIP 10/25

Amitriptyline Hydrochloride Tablets 10/25mg

AMO MIP (Amitriptyline) is in a class of medications called tricyclic antidepressants. It is primarily used for the treatment of psychotic disorders like depression and Anxiety.

INDICATIONS:

- Depression
- Neuropathic pain
- Anxiety
- Migraine

MECHANISM OF ACTION:

AMO MIP (Amitriptyline) has anticholinergic and sedative properties. It prevents the reuptake, and inactivation of neurotransmitters called noradrenaline and serotonin. Reuptake prevention of these monoamine neurotransmitters potentiate their action in the brain. This appears to be associated with the antidepressant activity and helps in regulating the mood.

It also stops the transmission of pain signals from nerves to the brain thereby relieving neuropathic pain (pain from damaged nerves).

DOSAGE:

25-150mg orally in divided doses, or as directed by the physician.



Reference: www.1mg.com/webmd.com

Bicomind

Vitamin A, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin D3, Vitamin B12 & Vitamin B3 (Niacinamide) Tablets

BICOMIND is a unique combination of 7 essential vitamins:


- ➔ VIT A (Retinol)
- ➔ VIT B1 (Thiamine)
- ➔ VIT B2 (Riboflavin)
- ➔ VIT B3 (Niacinamide)
- ➔ VIT D3 (Cholecalciferol)
- ➔ VIT B6 (Pyridoxine)
- ➔ VIT B12 (Cyanocobalamin)

BENEFITS:

- Boosts Immunity.
- Improves Vision.
- Improves bone and muscle health.
- Improves digestion.
- Improve mood and reduce symptoms of depression.
- Improves skin texture.
- Supports healthy brain function.
- Maintains heart health.

DOSAGE:

Used as a dietary supplement, 1 Tablet once a day, or as directed by physician.



All these vitamins play a major role in overall health, growth, and development of the body.



Reference: www.healthline.com

Bac Peace- 10/(20XL)

Baclofen Tablets 10mg/20mg (Extended Release)



BAC-PEACE (Baclofen) belongs to a class of drugs known as skeletal muscle relaxants. It is widely used for treating pain conditions arising due to muscle stiffness, rigidity or tension.

INDICATIONS:

Used to treat pain in conditions like:-

- Muscle cramps
- Multiple sclerosis (A potentially disabling disease of the brain and spinal cord.)
- Motor neuron disease
- Spinal injury
- Brain or head injury



MECHANISM OF ACTION:

BAC-PEACE (Baclofen) supposedly works by depressing the monosynaptic and polysynaptic reflex transmission, by various actions, and possibly including the stimulation of GABA-receptors.

This stimulation results in the inhibition of excitatory neurotransmitter (glutamate and aspartate) release, which may normally contribute to pain and spasticity. Thereby reducing the pain.

DOSAGE:

The dose range varies from 5 to 40 mg daily, based on the condition of the patient or as directed by the patient.

Reference: www.1mg.com/www.drugbank.com/www.medicines.org

CALBOMIN-D3

CALCIUM CARBONATE & VITAMIN D3 TABLETS.



CALBOMIN-D3 is a combination of two nutritional supplements: Calcium and Vitamin D3.

Calcium carbonate is a dietary supplement used when the amount of calcium taken in the diet is not enough. Calcium is needed by the body for healthy bones, muscles, nervous system, and heart.

Vitamin D3 is a form of vitamin D. It raises calcium levels in the blood by helping you absorb more calcium from food.

INDICATIONS:

- Osteoporosis
- Osteomalacia
- Hypothyroidism
- Kidney dysfunction
- Pancreatitis
- Rheumatoid arthritis

ADDITIONAL BENEFITS:

- Relieve Heartburn
- Helps in treating indigestion.
- Keeps bones, muscles & nerves healthy.

DOSAGE: Used as a dietary supplement, 1 Tablet once a day or as directed by the physician.



Also Available

Calbomin Plus

Calcitriol, Calcium Carbonate
& Zinc Softgel Capsules.

COXITERO Th4

Etoricoxib 60mg & Thiocolchicoside 4mg Tablets

COXITERO TH4 is a combination of two medicinal compounds:
Etoricoxib 60 mg + Thiocolchicoside 4 mg.



This combination is generally used to relieve pain and inflammation arising due to muscle spasm.

INDICATIONS:

- Osteoarthritis
- Rheumatoid arthritis
- Gouty Arthritis
- Ankylosing spondylitis


MECHANISM OF ACTION:

Etoricoxib is a non-steroidal anti-inflammatory drug (NSAID) which works by blocking the release of certain chemical messengers that cause pain and inflammation (redness and swelling).

Thiocolchicoside is a muscle relaxant. It works on the centers in the brain and spinal cord to relieve muscle stiffness or spasm and to improve pain and movement of muscles.

DOSAGE:

1 Tablet once or twice a day or as directed by the physician
Maximum Dosage;- Etoricoxib-120mg/day Thiocolchicoside - 16mg/day.



Also Available

Coxitero-90

Etoricoxib Tablets IP
90mg

Coxitero PG 60/75

Etoricoxib and Pregabalin
Prolonged Release Tablets.

Reference: www.1mg.com / www.apollopharmacy.in.com

CILOCOT P+

Citicoline & Piracetam Tablets

CILOCOT P+ is a combination of two medicinal compounds: Citicoline and Piracetam.

This combination is generally prescribed for memory enhancement, neurological and cognitive disorders.

INDICATIONS:

- Alzheimer disease
- Parkinson disease
- Bipolar disorder
- Lazy eye (Decreased eyesight due to abnormal visual development).

ADDITIONAL BENEFITS:

- Help preventing memory loss due to aging
- Improve vision in people with glaucoma
- Helps in recovery from stroke

MECHANISM OF ACTION:

CITICOLINE- It is a nerve protecting medicine. It works on the brain by nourishing the nerve cells & protects them from damage and improves their survival.

PIRACETAM- It is a GABA (gamma amino butyric acid) analogue. It works by protecting the brain and nervous system against shortness of oxygen and also affects various ion channels on nerve cell membranes.

DOSAGE:

1-2 Tablets daily, based on the condition of the patient.



Also Available

Cilcot

Citicoline 500 mg Tablets

CILNIPEACE-10


Cilnidipine 10 mg Tablets



CILNIPEACE (Cilnidipine) belongs to a class of medications known as Calcium channel blockers, It is widely used for the treatment of Hypertension & other cardiovascular disorders.

INDICATION :

- Hypertension
- Stroke
- Heart attack
- Angina



MECHANISM OF ACTION :

CILNIPEACE (Cilnidipine) acts on the L-type calcium channels of blood vessels by blocking the incoming calcium and suppressing the contraction of blood vessels, thereby reducing blood pressure.

Cilnidipine also works on the N-type calcium channel located at the end of the sympathetic nerve, inhibiting the emission of norepinephrine and suppressing the increase in stress blood pressure.

DOSAGE :

Reference-www.drugbank /1 mg / medindia.com

The dose range varies from 5 to 20 mg orally, based on the condition of the patient.

DULOPEACE 20

Duloxetine Gastro resistant Tablets 20mg



DULOPEACE (Duloxetine) class of medications called selective serotonin and norepinephrine reuptake inhibitors (SNRIs). This medication is generally used in the treatment of depression, anxiety and other mental disorders.

INDICATIONS:

- Depression,
- Anxiety Disorder,
- Diabetic Nerve Pain
- Neuropathic Pain
- Stress Urinary Incontinence.
- Fibromyalgia

(Fibromyalgia is a nerve disorder which causes widespread muscle and bone pain and sensitivity to touch. In this condition, the pain processing ability of the brain is affected causing intensified sensations of pain. It also causes fatigue and troubles with sleep and memory.)

MECHANISM OF ACTION:

DULOPEACE (Duloxetine) works by increasing the levels of chemical messengers (serotonin and noradrenaline), natural substances in the brain that help maintain mental balance and stop the movement of pain signals in the brain.

DOSAGE:

1 Tablet once or twice a day.



ALSO AVAILABLE:

DULOPEACE 30

Duloxetine 30mg Tablets.

Reference: www.1mg.com/ medscape.com

DIVOPEACE 250 / 500


Divalproex Sodium Extended Release
250/500 mg Tablets IP



DIVOPEACE (Divalproex sodium) belongs to a class of drugs called Anti-epileptics. It is widely used for the treatment of psychotic disorders like epilepsy and mania.

INDICATIONS:

- Epilepsy
- Bipolar disorder
- Mania
- Migraine
- Convulsions



MECHANISM OF ACTION:

DIVOPEACE exhibits its pharmacologic effects in a couple of ways, such as by acting on GABA (γ aminobutyric acid) levels in the CNS, blocking voltage-gated ion channels, and inhibiting histone deacetylase. These combined actions help in restoring the normal activity of the brain.

DOSAGE:

1 Tablet once or twice a day or as directed by the physician.

Reference: www.rxlist.com/mayo/clinic.com

DISULFACARE 250

Disulfiram Tablets 250mg



DISULFACARE (Disulfiram) belongs to a class of drugs known as Psychiatry Agents.

INDICATIONS:

This drug is generally used in the treatment of **Alcohol Addiction**.

MECHANISM OF ACTION:

DISULFACARE (Disulfiram) blocks the chemical which breaks the converted form of alcohol in the body. This leads to an increased level of converted form of alcohol in the body causing bad physical features while drinking alcohol.



DOSAGE;

1 Tablet once or twice a day or as directed by the physician.

Reference: www.1mg.com/rxlist.com

DESLAFAN- 50 ER


Desvenlafaxine 50 mg ER Tablets



DESLAFAN (Desvenlafaxine) is a serotonin and norepinephrine reuptake inhibitor (SNRI) antidepressant. It is majorly used to treat major depressive disorder.

INDICATIONS:

- Depression
- Anxiety
- Diabetic nerve pain



MECHANISM OF ACTION:

DESLAFAN (Desvenlafaxine) works by increasing the levels of chemical messengers (serotonin and noradrenaline), natural substances in the brain that help maintain mental balance and stop the movement of pain signals in the brain.


DOSAGE:

One 50mg Tablet orally once a day, with or without food, or as directed by the physician.

Reference: www.drugs.com

EPIMIND CR-300

Sodium valproate 200mg + Valproic Acid
87mg Cont. Release Tab.



EPIMIND is a combination of two medicinal compounds: Sodium valproate and valproic acid.

Both of these compounds are two forms of the same medication. The only difference is in how they are prepared. These medicines are most commonly used in treating problems with the nervous system such as epilepsy, migraines and mood disorders.

INDICATION:

- Epilepsy
- Bipolar Disorder
- Acute anxiety disorders
- Migraine Headaches.
- Mood Disorders



ALSO AVAILABLE:

EPIMIND CR-200

Sodium valproate 133.5mg + Valproic Acid 58mg
Cont. Release Tab.

EPIMIND CR-500

Sodium valproate 333mg + Valproic Acid 145mg
Cont. Release Tab.

MECHANISM OF ACTION:

EPIMIND increases concentrations of gamma-aminobutyric acid (GABA) in the brain, thereby reducing neuronal excitability by inhibiting nerve transmission, and normalising the activity of the brain.

DOSAGE:

1 Tablet once or twice a day or as directed by the physician.

Reference: www.1mg.com / wikipedia.com

FLURIFLIP-20

Fluoxetine Hydrochloride 20 mg Capsules



FLURIFLIP (Fluoxetine Hydrochloride) belongs to a class of drugs known selective serotonin reuptake inhibitors (SSRIs).

This medication is generally used in the treatment of Depression and other mental disorders.

INDICATIONS:

- Depression
- Obsessive compulsive disorder
- Anxiety & Panic disorder

MECHANISM OF ACTION:

FLURIFLIP (Fluoxetine) is a selective serotonin reuptake inhibitor (SSRI) antidepressant. It works by increasing the levels of serotonin, a chemical messenger in the brain. This improves mood and physical symptoms of depression and also relieves symptoms of panic and obsessive disorders.

DOSAGE:

The usual dose of this medication is one 20mg Capsule twice a day.



Reference: www.1mg.com

FLUPIPEACE-100

Flupirtine Maleate 100mg &
Paracetamol 325 mg Tablets

FLUPICARE P is combination of two medicinal compounds Flupirtine Maleate and Paracetamol

FLUPIRTINE belongs to a group of 'non-opioid analgesics' medicines used to provide relief from mild to moderate pain and inflammation associated with musculoskeletal pain.



INDICATION :

- Musculoskeletal pain
- Headache, Nerve pain
- Muscle pain
- Post-surgery pain

MECHANISM OF ACTION :

Flupirtine is an analgesic which works by blocking transmission of pain signals to the brain to lower pain perception. Paracetamol is an analgesic and an antipyretic (fever reducer) which works by blocking the release of certain chemical messengers that cause fever and pain.

DOSAGE :

1 Tablet once or twice a day, or as directed by the physician.



MAXIMUM DOSE:

Flupirtine - 300 to 400 mg/day
Paracetamol - 2000 mg/day

Reference-www.1mg.com

FLUPOMIN-10

Flunarizine Dihydrochloride Tablets BP 10mg.



FLUPOMIN (Flunarizine) is a class IV calcium antagonist with a pharmacological profile which suggests its therapeutic potential in a number of neurological and cerebrovascular disorders.

INDICATIONS:

- Migraine in children and adults
- Epilepsy & Seizures
- Vertigo

MECHANISM OF ACTION:

FLUPOMIN (Flunarizine) is a selective calcium entry blocker with calmodulin binding properties and histamine H1 blocking activity. It inhibits the influx of extracellular calcium through myocardial and vascular membrane pores by physically plugging the channel, Thereby reducing the symptoms of migraine and other neurological disorders.

DOSAGE:

1 Tablet once a day or as directed by the physician.



Reference: www.drugbank.com/pubmed.in/1mg.com

GNPN-NT

Gabapentin 400 mg & Nortriptyline 10mg Tablets.



GNPN-NT is a combination of 2 medicinal compounds: Gabapentin + Nortriptyline
This combination is generally used for the treatment of neuropathic pain.

INDICATIONS:

- Neuropathic Pain (Pain due to damaged nerves)
- Depression
- Seizures associated with epilepsy



MECHANISM OF ACTION:

Gabapentin is an alpha 2 delta ligand which decreases the pain by modulating calcium channel activity of the nerve cells.

Nortriptyline is a tricyclic antidepressant which increases the levels of chemical messengers (serotonin and noradrenaline) that stop the movement of pain signals in the brain.

DOSAGE:

1 Tablet once a day, or as directed by the physician.

ALSO AVAILABLE:

GNPN-100

Gabapentin Tablets IP 100mg

Reference: www.1mg.com

LORIX-PRIDE 25

Levosulpiride Tablets 25 mg

LORIX-PRIDE (Levosulpiride) is an Antipsychotic medication which is used to treat mental diseases like Depression & Schizophrenia.

It can also be used to treat certain GIT diseases and disorders.

INDICATIONS:

Psychiatric conditions like - Depression, Schizophrenia, Vertigo, And Hallucinations.
Digestive issues like - GERD, Indigestion, & Incessant Heartburn.

MECHANISM OF ACTION:

Levosulpiride works by selectively inhibiting the action of dopamine D2 receptors, thereby elevating the mood.

It also works by increasing the release of acetylcholine (a chemical messenger). This increases the movement of stomach and intestines, and prevents reflux (acid going up to the food pipe).

DOSAGE:- 1 25mg Tablet thrice a day or as directed by the doctor.



KETROPEACE-10

Ketorolac Tromethamine Mouth Dissolving Tablets 10mg



KETROPEACE (Ketorolac tromethamine) belongs to a class of medications called NSAIDs (Non steroidal anti inflammatory drugs).

It is generally used to treat medical conditions like inflammation, fever and pain.

INDICATIONS:

- Short term treatment of Post surgical pain.
- Dental pain
- Migraine (off label)



MECHANISM OF ACTION:

KETROPEACE (Ketorolac tromethamine) works by blocking the action of COX-1 & COX-2 enzymes, this inhibits the formation of inflammatory mediators like prostaglandins. Thereby reducing the pain and inflammation.

DOSAGE:


1 tablet once or twice a day, or as directed by the physician.
Maximum Dose: 40 mg/day.



Reference: www.medicalnews.today, drugbank.com, 1mg.com, pubmed.gov.com

LCPEACE-500

Levetiracetam Tablets 500 mg IP



LCPEACE (Levetiracetam) belongs to a class of medications called anticonvulsants. This medication is generally used alone and along with other medications to control partial-onset seizures (seizures that involve only one part of the brain) in adults, children, and infants 1 month of age or older.

INDICATIONS:

- Epileptic seizures
- Juvenile myoclonic epilepsy
(A condition characterised by recurrent seizures)
- Grand mal seizure
(A type of seizure that involves a loss of consciousness and violent muscle contractions.)

MECHANISM OF ACTION:

It works by decreasing abnormal excitement in the brain by modulating the release of synaptic neurotransmitters via binding to the synaptic vesicle protein (SV2A) in the brain.

DOSAGE:

General dose - The dose varies from 500 to 3000 mg/day based on the condition of the patient.



Reference: www.1mg.com

METAM - PEACE 500

Metformin Hydrochloride Sustained Release Tablets 500mg.



Metformin hydrochloride is a biguanide which is used with a proper diet and exercise program and possibly with other medications to control high blood sugar.

INDICATIONS:

- Type-2 Diabetes
- Kidney damage and Blindness caused due to diabetes.
- Heart attack and stroke associated with Diabetes.

MECHANISM OF ACTION:

METAM PEACE (Metformin Hydrochloride) works by lowering glucose production in the liver, delaying the absorption of sugar (glucose) from the intestines, and increasing the body's sensitivity to insulin, thereby normalising the glucose levels in the body.

DOSAGE:

Initial Dose- One 500 mg Tablet twice or thrice a day with or after meals.

Maximum Dose- 3 g / day in divided doses.



Reference: www.webmd.com / medicines.org/1mg/ncbi.nlm.nih.gov

MEZALINE 25/50/100

Clozapine Tablets (25/50/100) mg IP




MEZALINE (Clozapine) belongs to a class of medications known as Atypical Antipsychotics

This medication helps treat schizophrenia in people for whom other medicines are ineffective or not tolerated.

INDICATIONS

- Schizophrenia
- Mania
- Depression & Anxiety



MECHANISM OF ACTION:

MEZALINE (Clozapine) is an anti-psychotic medication that works by blocking receptors in the brain for several neurotransmitters (chemicals that nerves use to communicate with each other) including dopamine type 4 receptors, serotonin type 2 receptors, norepinephrine receptors, acetylcholine receptors, and histamine receptors. Thereby reducing the symptoms of schizophrenia and depression.

DOSAGE:

Reference: www.1mg.com / dovepress.com / medicinenet.com

1 Tablet once or twice a day, or as directed by the physician.

MOLANZA F

Olanzapine & Fluoxetine 5 /20 mg Tablets



MOLANZA F is a combination of two medications: Olanzapine and Fluoxetine.

This combination is primarily used to treat the depressive episodes of bipolar disorder.

INDICATIONS:

- Bipolar Disorder
- Treatment-resistant depression (TRD)



MECHANISM OF ACTION:

Olanzapine is an atypical antipsychotic, and fluoxetine is a selective serotonin reuptake inhibitor. They work by increasing the activity of certain chemicals called serotonin, norepinephrine, and dopamine in the brain. These chemicals help relieve the symptoms of bipolar depression & mental disorders.

ALSO AVAILABLE:

MOLANZA [2.5 / 5 / 7.5 / 10] mg Tablets

Olanzapine 2.5 / 5 / 7.5 / 10 Mg Tablets.

DOSAGE:

1 Tablet once a day, not to exceed 18/75mg per day

Reference: www.medscape.com / 1mg.com

MARTYZA-15

Mirtazapine 15mg Tablets

MARTYZA (Mirtazapine) is a noradrenergic and specific serotonergic antidepressants (NaSSA)

This medication is generally used in the treatment of depression

INDICATIONS:

Depression

OFF LABEL INDICATIONS OF THIS MEDICATION INCLUDES:

Insomnia, Panic Disorder, Post-Traumatic Stress Disorder, Obsessive-Compulsive Disorder, Generalised Anxiety Disorder, Social Anxiety Disorder, Headaches, And Migraines.


MECHANISM OF ACTION:

MARTYZA (Mirtazapine) has a dual mode of action. It is a noradrenergic and specific serotonergic antidepressant (NaSSA) that acts by antagonising the adrenergic α_2 -autoreceptors and α_2 -heteroreceptors as well as by blocking 5-HT₂ and 5-HT₃ receptors. It enhances, therefore, the release of norepinephrine and 5-HT_{1A}-mediated serotonergic transmission

DOSAGE:

1 Tablet once or twice a day, based on the condition of the patient, or as directed by the physician.

MAXIMUM DOSE; 45 mg/day.



Reference: www.medlineplus/1mg.com

MIP-QUE (25/50) & 100 SR


Quetiapine Fumarate Tablets 25/50 mg & 100 mg SR Tablets.



MIP-QUE (Quetiapine) belongs to a class of medications called Atypical-Antipsychotics. This medication is widely used for the treatment of certain mental/mood disorders.

INDICATIONS:

- Schizophrenia
- Bipolar Disorder
- Sudden episodes of mania or depression associated with bipolar disorder.



MECHANISM OF ACTION:

MIP-QUE (Quetiapine) improves the positive and negative symptoms of schizophrenia and major depression by acting on various neurotransmitter receptors, such as the serotonin and dopamine receptors. In bipolar disorder, it improves both depressive and manic symptoms.

DOSAGE:

1 Tablet once, twice or thrice a day
Max Dose - 800mg/day.

Reference: www.drugbank.com / 1mg.com

MSTOL-5/10/20

Escitalopram Tablets 5/10/20mg IP




MSTOL (Escitalopram) belongs to a class of Antidepressant drugs known as SSRIs (Selective serotonin reuptake inhibitors)

This medication is generally used to treat depression and some other mental diseases and disorders.

INDICATIONS:

- Depression
- Anxiety Disorder
- Panic disorder
- Can be used along with other medicines to treat Bipolar depression



MECHANISM OF ACTION:

MSTOL (Escitalopram Oxalate) is a selective serotonin reuptake inhibitor (SSRI) antidepressant. It works by increasing the levels of serotonin, a chemical messenger in the brain. This improves mood and physical symptoms of depression and also relieves symptoms of anxiety, panic attacks and obsessive-compulsive disorders.

DOSAGE:

General Dose:- 10 to 20mg/day or as directed by the physician.

Reference-www.1mg.com

MIPSZOLE DSR

Pantoprazole sodium 40 mg & Domperidone 30 mg
(As 20mg sustained release & 10mg immediate release) Capsules

MIPSZOLE DSR is a combination of two medicinal compounds:

Pantoprazole & Domperidone

INDICATIONS:

- Gastroesophageal reflux disease (GERD)
- Stomach ulcers
- Heartburn
- Peptic Ulcer

MECHANISM OF ACTION:

Pantoprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn.

Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach.

DOSAGE:

1 Capsule once a day or as directed by the doctor.



Also Available

Mipszole-40

Pantoprazole 40mg Tablets

Reference-www.1mg.com

MSULPY- 50/100/200

Amisulpride Tablets (50/100/200) mg




MSULPY (Amisulpride) belongs to a class of drugs known as Atypical Antipsychotics.

It is used for the treatment of psychotic diseases & disorders like schizophrenia (A severe mental disorder in which the patient loses touch with reality.)

INDICATION:

- Schizophrenia
- Depression
- Anxiety (Panic attacks)
- Can be used in combination with other drugs for treating Bipolar disorder.



MECHANISM OF ACTION:

Amisulpride aids in the treatment of schizophrenia & depression by blocking pre-synaptic dopamine D2 and D3 receptors, thereby increasing the levels of dopamine in the synaptic cleft and facilitating dopaminergic transmission.


DOSAGE:

For negative symptoms of schizophrenia - 50 to 300 mg/day
For positive symptoms of schizophrenia - 400 to 1200 mg/day
Or as directed by the physician.

Reference: www.ncbi.nlm/medicines.org/drugbank/pubmed.gov.com

MIPSTAM SYRUP

Piracetam Syrup 500mg / 5ml.



MIPSTAM (Piracetam) belongs to a class of drugs known as nootropics. It is generally used for the treatment Seizures, Vertigo and other mental diseases and disorders.

INDICATIONS:

- Epilepsy Seizures
- Dyslexia (A learning disorder marked by difficulty reading)
- Alzheimer's disease
- Dementia in Parkinson's disease
- Head Injury
- Cortical myoclonus
(A movement disorder that causes short and uncontrollable twitching or jerky movements of arms and legs.)

MECHANISM OF ACTION:

MIPSTAM (Piracetam) works by increasing the activity of a chemical messenger (acetylcholine) by acting on muscarinic cholinergic (ACh) receptors, which improves communication between the nerve cells. It also protects the brain and nervous system against shortness of oxygen.

DOSAGE:

800mg (1.5 - 2 Teaspoons) 3 times a day.



Reference: www.1mg.com / webmd.com / medindia.net.com

OXPAZINE-150/300

Oxcarbazepine 150/300 mg Tablets



OXPAZINE (Oxcarbazepine) is in a class of medications called anticonvulsants. This medication is generally used to treat mental conditions like epilepsy.

INDICATIONS:

- Epilepsy/Seizures.
- Acute or mixed Mania
- Can be used as a mood stabiliser in Bipolar disorder (off label)

MECHANISM OF ACTION:

OXPAZINE (Oxcarbazepine) is an antiepileptic medication. It controls seizures or fits by decreasing the abnormal and excessive activity of the nerve cells in the brain.

It does so by blocking voltage-sensitive sodium channels, thus leading to the stabilisation of hyper-excited neural membranes, suppression of repetitive neuronal firing and diminishment propagation of synaptic impulses.

DOSAGE:

150 mg orally twice daily.

The daily dose can be increased to 600-1200 mg /day based on the tolerance and condition of the patient.



Reference: www.psychiatrictimes.com / wikipedia / 1mg.com / drugs.com / rxlist.com

MIND PEACE

Melatonin Tablets 3mg

Melatonin is a natural hormone formed within the body. It plays a key role in regulating sleep-wake cycles.



Melatonin deficiency can cause insomnia and other sleep related disorders.

MIND PEACE helps to overcome the melatonin deficiency caused due to stress, smoking, ageing, shift work & excessive exposure to light.

INDICATIONS:

- Insomnia
- Dementia
- Shift work disorder
- DSWPD (Delayed sleep-wake phase disorder-A disorder in which a person's sleep is delayed by two or more hours beyond the socially acceptable or conventional bedtime.)



Also Available Mindpeace-5/10

Melatonin 5/10 mg Tablets

DOSAGE:

1 Tablet 1 to 2 hours before bedtime.

Reference: www.1mg.com

NEBLOLYS-5

Nebivolol Hcl 5mg Tablets



(NEBLOLYS) Nebivolol Hcl is the medication that belongs to the class of beta blockers drugs.

INDICATIONS:-


- High blood Pressure
- Heart failure
- Angina pectoris

MECHANISM OF ACTION:

(NEBLOLYS)Nebivolol Hcl works by blocking beta 1 adrenergic receptors in the heart and dilating blood vessels that leads to lowering the blood pressure and also prevents from Heart failure.

DOSAGE:

5-40 mg orally once a day



Reference-www.1mg.com

PAROPEACE 12.5

Paroxetine Hydrochloride
controlled release 12.5mg Tablets



PAROPEACE 12.5 (Paroxetine Hydrochloride) belongs to the class of an Antidepressant drug which belongs to a class of medications called selective serotonin reuptake inhibitors (SSRIs). It is generally used for the treatment of Depression & other mental diseases and disorders.

INDICATIONS:-


- Depression
- Panic disorders
- Anxiety disorders
- Obsessive compulsive disorder (OCD)
- Post-traumatic stress disorder (PTSD)

MECHANISM OF ACTION:

Paroxetine enhances serotonergic activity by inhibiting presynaptic reuptake of serotonin by the serotonin (SERT) receptor. This inhibition raises the level of serotonin in the synaptic cleft. This improves mood and symptoms of depression and also relieves symptoms of panic and obsessive disorders.

DOSAGE:

1 Tablet once a day, or as directed by the physician.
Initial Dose - 12.5mg once a day
(Can be increased based on the condition of the patient)



ALSO AVAILABLE:

PAROPEACE-25

Paroxetine Hydrochloride
controlled release 25mg Tablets

Reference-www.1mg.com

NAPOPEACE-D

Naproxen Sodium 500mg & Domperidone 10mg Tablets

NAPOPEACE-D is a combination of two analgesic medicines
DOMPERIDONE+NAPROXEN



This combination is generally used to treat pain in conditions like:

- Migraine
- Rheumatoid arthritis
- Gout
- Dysmenorrhea (Menstrual pain)



Also Available
Napopeace
Naproxen Tablets 500mg

MECHANISM OF ACTION:

Naproxen is a non-steroidal anti-inflammatory drug (NSAID) which works by blocking the release of certain chemical messengers (Prostaglandins) that cause pain due to migraine.

Domperidone is a prokinetic which works on the region in the brain that controls vomiting associated with migraine. It also increases the movement of the stomach and intestines, allowing food to move more easily through the stomach.

DOSAGE:

1 Tablet once or twice a day, or as directed by the physician.

Reference: www.1mg.com/apollopharmacy.in.com

PACIPEACE-PLUS

Trihexyphenidyl HCL 1mg & Trifluoperazine 2.5mg Tablets.

PACIPEACE-PLUS is a combination of two medicinal compounds: Trihexyphenidyl HCL & Trifluoperazine

INDICATIONS:

PACIPEACE is generally used for the treatment of Schizophrenia.

PACIPEACE can also be used for the short term treatment of Depression and Anxiety

MECHANISM OF ACTION:

Trifluoperazine is a typical antipsychotic. It works by blocking the action of a chemical messenger (dopamine) in the brain that affects thoughts and mood.

Trihexyphenidyl is an anticholinergic medication. It works by decreasing the activity of a chemical messenger (acetylcholine) in the brain. This improves muscle control and reduces stiffness

DOSAGE:

1 Tablet twice a day, or as directed by the physician.



ALSO AVAILABLE:

PACIPEACE-FORTE- Trihexyphenidyl HCL 2mg & Trifluoperazine 5 mg Tablets.

PACIPEACE-2 — Trihexyphenidyl HCL 2mg

Refence:www.myupchar.com / 1mg.com

PSYPRAMINE 25/50/75

Imipramine (25/50/75) mg Tablets



PSYPRAMINE (Imipramine) belongs to a class of medications called Tricyclic antidepressants.

INDICATIONS:

- **PSYPRAMINE** is generally prescribed for the treatment of Depression.
- It is also prescribed for Bed-wetting in children of age 6 years or older.

MECHANISM OF ACTION;

PSYPRAMINE (Imipramine) works on the central nervous system to increase the levels of certain chemicals in the brain like norepinephrine. This action improves the symptoms of depression. For Bed-wetting, It may work by blocking certain chemicals in the child's central nervous system.

DOSAGE:

Initial Dose- 25 mg once or twice a day or as directed by the physician.
The dose can be increased or decreased based on the tolerance & condition of patient.



Reference: www.medicines.org/1mg.com

PRAXCO ER 25

Paroxetine ER Tablets IP 25 mg.



PRAXCO (Paroxetine) is an Antidepressant drug which belongs to a class of medications called selective serotonin reuptake inhibitors (SSRIs). It is generally used for the treatment of Depression & other mental diseases and disorders.


INDICATIONS:-

- Depression
- Panic disorders
- Anxiety disorders
- Obsessive compulsive disorder (OCD)
- Post-traumatic stress disorder (PTSD).

MECHANISM OF ACTION:

PRAXCO (Paroxetine) enhances serotonergic activity by inhibiting presynaptic reuptake of serotonin by the serotonin (SERT) receptor. This inhibition raises the level of serotonin in the synaptic cleft. This improves mood and physical symptoms of depression and also relieves symptoms of panic and obsessive disorders.

DOSAGE: 1 Tablet once a day, or as directed by the physician.



Reference: www.1mg.com/drugbank.com/mayoclinic.org

PAROLOPEACE 20

Propranolol Hydrochloride Tablets

PAROLOPEACE (Propranolol Hcl) is the medication that belongs to the class of beta blockers drugs. It is generally used as antipsychotic drugs.



INDICATIONS:-

- Anxiety
- Prevent Migraines
- Irregular Heart rate
- Tremors

MECHANISM OF ACTION:

PAROLOPEACE (Propranolol) is a non-selective beta receptor antagonist. It competes with sympathomimetic neurotransmitters for binding to receptors, which inhibits sympathetic stimulation of the heart and blockage of neurotransmitter epinephrine (adrenaline) and norepinephrine (noradrenaline). The beta-blocking properties help to control heart rhythm, delay the start of chest pain, prevent migraine, and reduce tremors.

DOSAGE:

20 -40 mg twice a day or as directed by the physician.



Reference-www.1mg.com

RICOMIND-2T

Risperidone 2mg & Trihexyphenidyl 2mg Tablets.

RICOMIND-2T is a combination of two medicinal compounds:
Risperidone & Trihexyphenidyl

INDICATIONS:

This combination of medications is used to treat:


- Schizophrenia
- Acute Manic Episodes

MECHANISM OF ACTION:

Risperidone is an atypical antipsychotic which works by balancing the levels of chemical messengers (dopamine and serotonin) to improve mood, thoughts, and behaviour.

Trihexyphenidyl is an anticholinergic which works on the nervous system and corrects some of the chemical imbalances that cause Parkinson's disease and certain side effects occurring during antipsychotic treatment.

DOSAGE: 1 Tablet once a day or as directed by the physician.



ALSO AVAILABLE:

RICOMIND 3T & 4T - Risperidone 3/4mg & Trihexyphenidyl 2mg Tablets.

RICOMIND-1/2/3/4 - Risperidone-1/2/3/4mg Tablets.

Reference: [www.1mg / apollopharmacy.in.com](http://www.1mg.apollopharmacy.in.com)

REGAFYNE

Pregabalin 75 mg + Nortriptyline 10mg Tablets.

REGAFYNE is a combination of 2 medicinal compounds:
Pregabalin & Nortriptyline

INDICATIONS:

This medication is generally used for the treatment of Neuropathic pain associated with diabetic peripheral neuropathy, postherpetic neuralgia, spinal cord injury, etc.

MECHANISM OF ACTION:

Pregabalin is an alpha 2 delta ligand which decreases the pain by modulating calcium channel activity of the nerve cells.

Nortriptyline is a tricyclic antidepressant which increases the levels of chemical messengers (serotonin and noradrenaline) that stop the movement of pain signals in the brain. Together, they relieve neuropathic pain (pain from damaged nerves).

DOSAGE: 1 Tablet once a day (Preferably at bedtime) or as directed by the physician.



Reference-www.1mg.com

RONILIOXIN-500

Ranolazine 500 mg Extended Release Tablets

Ranolazine belongs to the class of medications called anti-anginals



INDICATION :

This medication is widely used for the treatment of CHRONIC ANGINA (ongoing chest pain or pressure that is felt when the heart does not get enough oxygen).

MECHANISM OF ACTION :

Ranolazine works by decreasing the oxygen requirement of the heart by relaxing heart muscle. Ranolazine inhibits persistent or late inward sodium current (INa) in heart muscles . Inhibiting that current leads to reductions in intracellular calcium levels. This in turn leads to reduced tension in the heart wall, leading to reduced oxygen requirements for the muscle.

DOSAGE :

The general dose range varies from 500-2000 mg/day



Reference-www.1mg.com

SERTAPEACE-50/100

Sertraline Hydrochloride Tablets 50/100 mg.



SERTAPEACE (Sertraline Hydrochloride) belongs to a class of medications called selective serotonin reuptake inhibitors (SSRIs). This medication is generally used for the treatment of certain mental disorders like Depression and Anxiety.

INDICATIONS:

- Depression
- Panic Attacks
- Obsessive Compulsive Disorder
- Post-Traumatic Stress Disorder
- Social Anxiety Disorder (Social Phobia)
- Premenstrual Syndrome (Premenstrual Dysphoric Disorder).



MECHANISM OF ACTION:

SERTAPEACE (Sertraline) is a selective serotonin reuptake inhibitor (SSRI) antidepressant. It works by increasing the levels of serotonin, a chemical messenger in the brain. This improves mood and physical symptoms of depression and also relieves symptoms of obsessive-compulsive disorder, panic disorder, premenstrual dysphoric disorder, and anxiety.

DOSAGE:

1 Tablet once a day or as directed by the doctor.
Maximum Dose- Usually not more than 200mg/day

Reference: www.1mg.com

TOPIMIND- 25

Topiramate 25 Mg Tablets



Topimind (Topiramate) belongs to the class of carbonic anhydrase inhibitor anticonvulsants, generally used in the treatment of psychiatric disorders.

INDICATIONS:

- Preventive treatment for migraine
- Seizures disorder
- Epilepsy

MECHANISM OF ACTION:

Topimind (Topiramate) acts by inhibiting the high voltage calcium channel activities that lead to anti seizures activity of the drug, or in simpler words. It controls seizures or fits by decreasing the abnormal and excessive activity of the nerve cells in the brain.

DOSAGE:

Reference-www.1mg.com / wikipedia.com

The dose range varies from 25-400 mg/day, depending upon the condition of the patient.



THYLOPEACE - 100

Thiamine 100mg Tablets



Thiamine is also known as VITAMIN B1, This vitamin plays an important in converting food into energy, **THYLOPEACE** completes the daily Vitamin-B1 requirements of the body.

INDICATIONS AND USES:

- Nutritional Deficiencies
- Beriberi
(Tingling and numbness in feet and hands, muscle loss, and poor reflexes caused by a lack of thiamine)
- Wernicke-Korsakoff syndrome
(Memory loss, confusion caused by a lack of thiamine)



ALSO AVAILABLE:

Thylopeace Injection

Thiamine 100 mg Injection

ADDITIONAL BENEFITS:

- Boosts energy production. When sugar mixes with vitamin B1, it becomes energy for the body to use
- Reduces the effects of sepsis. (Sepsis, a severe response to an infection, can become fatal if the vitamin B1 levels are low).
- Helps fight depression
- Good for diabetes

HOW TO USE-

1 Tablet once a day or as directed by the Doctor.



Reference: www.1mg.com

TERBIMIND 250

Terbinafine Hydrochloride 250mg Tablets.

TERBIMIND (Terbinafine Hydrochloride) is an Antifungal medication.

INDICATIONS:

This medication is generally used for the treatment fungal infections like:

- Athlete's foot
- Jock Itch
- Treating corporis (Ringworm of the body)
- Tinea versicolor (A common fungal infection of the skin)
- Onychomycosis (Fungal infections of fingernails, and toenails.)
- Fungal infections of scalp

MECHANISM OF ACTION:

TERBIMIND (Terbinafine) gives its fungicidal effect by inhibiting the enzyme squalene monooxygenase which is involved in the synthesis of sterol in fungi. This inhibits fungal sterol biosynthesis by decreasing ergosterol levels (ergosterol is an important component of fungal cell membranes).

DOSAGE:

1 Tablet once a day or as directed by the Physician.



Reference: www.1mg.com/medlineplusmedscape.com

UPENXOL-M

Flupentixol 0.5 & Melitracen 10 mg Tablets



UPENXOL-M is a combination of two psychoactive agents: Flupentixol And Melitracen.

INDICATIONS:

- Short term treatment of Depression
- Anxiety


MECHANISM OF ACTION:

Flupentixol is a atypical antipsychotic. It works by blocking the action of dopamine, a chemical messenger in the brain that affects thoughts and mood.

Melitracen is a tricyclic antidepressant which increases the levels of chemical messengers in the brain that help in regulating the mood and treat depression.

DOSAGE:

1 Tablet twice a day or as directed by the doctor. The dose can be increased based on the condition of the patient.



ALSO AVAILABLE:

UPENXOL-0.5

Flupentixol 0.5mg Tablets

Reference: www.wikipedia/mims.com/1mg.com

VOGLIPEACE 0.2

Voglipeace 0.2mg Tablets



VOGLIPEACE 0.2 belongs to the class of antidiabetic medicines: Voglibose. This is widely used for the treatment of diabetes and the symptoms related to it.

INDICATIONS:

Type-2 Diabetes.

MECHANISM OF ACTION:

Voglibose belongs to the class of alpha-glucosidase inhibitors. It inhibits the intestinal enzymes that cause breakdown of complex sugars into simple sugars such as glucose. This prevents blood glucose from rising very high after meals.

DOSAGE:

1 Tablet twice a day, right before having a meal, or as directed by the physician.



Reference-www.1mg.com

VOXAPEACE 50/100

Fluvoxamine Maleate Extended Release Tablets 50 & 100 mg


VOXAPEACE (Fluvoxamine) belongs to a class of drugs known as selective serotonin reuptake inhibitors (SSRIs).



It is used for the treatment of Depression and other mental disorders.

INDICATIONS:

- Depression
- Anxiety
- OCD - (Obsessive compulsive disorder)
[A pattern of unwanted thoughts and fears (obsessions) that leads the patient to do repetitive behaviours]



MECHANISM OF ACTION:

VOXAPEACE (Fluvoxamine) is an antidepressant. It works by increasing the levels of serotonin, a chemical messenger in the brain. This improves mood and physical symptoms of depression and also relieves symptoms of obsessive-compulsive disorders.

DOSAGE :

Reference-www.1mg.com

The dose range varies from 50 to 300mg/day based on the condition of the patient, or as directed by the physician.

YOURSOPIL

Ursodeoxycholic Acid Tablets 300mg



YOURSOPIL (Ursodeoxycholic Acid) is a hepatoprotective medication. It is generally used for the treatment of diseases & disorders related to liver and gallbladder.

INDICATIONS:

- Gallbladder stones.
- Primary biliary cirrhosis (A chronic disease in which the bile ducts in your liver are slowly destroyed.)

MECHANISM OF ACTION:

YOURSOPIL works by reducing the amount of cholesterol in the blood and helps dissolve gallbladder stones that are composed mainly of cholesterol. It also improves liver enzymes, protects liver cells from injury caused due to toxic bile acids, and improves liver function.

DOSAGE:

Usual dosage: 8 to 10 mg/kg/day, i.e., 4-6 150 mg tablets, or 2-3 tablets of 300 mg, or 2 tablets of 450 mg.

The daily dose can be administered two or three times after the meals: two tablets should always be taken after the evening meal.



Reference: www.1mg/medicines.org.com



Mind *in* Peace[®]

(A Division of Psychocare Health Pvt. Ltd.)

Address : PCHPL Building, Plot No. D-161A Phase 7, Industrial Area, Mohali(PB), INDIA

Contact: 8727099068, **Email:** info@psychocare.biz

Facebook : <https://www.facebook.com/pchplmohali/>

Instagram: <https://www.instagram.com/pchplmohali/>

Website: www.psychocare.biz